

## SAFETY DATA SHEET

### BENTONITE PELLETS 1/2 INCH

Product Trade Name:

Revision Date: 10-Mar-2020

Revision Number: 14

#### 1. Identification

##### 1.1. Product Identifier

**Product Trade Name:** BENTONITE PELLETS 1/2 INCH  
**Synonyms:** None  
**Chemical Family:** Mineral  
**Internal ID Code:** HM003569

##### 1.2 Recommended use and restrictions on use

**Application:** Weight Additive  
**Uses advised against:** No information available

##### 1.3 Manufacturer's Name and Contact Details

###### Manufacturer/Supplier

Baroid Fluid Services  
Product Service Line of Halliburton Energy Services, Inc.  
P.O. Box 1675  
Houston, TX 77251  
Telephone: (281) 871-4000

Halliburton Group Canada  
645 - 7th Ave SW Suite 1800  
Calgary, AB, T2P 4G8, Canada  
Telephone: 1-403-231-9300

###### Prepared By

Chemical Stewardship  
Telephone: 1-281-871-6107  
e-mail: fdunexchem@halliburton.com

##### 1.4. Emergency telephone number:

**Emergency Telephone Number:** 1-866-519-4752 or 1-760-476-3962 (accessible 24 hours a day / 7 days a week)  
Global Incident Response Access Code: 334305  
Contract Number: 14012

#### 2. Hazards Identification

##### 2.1 Classification in accordance with paragraph (d) of §1910.1200

Carcinogenicity	Category 1A - H350
Specific Target Organ Toxicity - (Repeated Exposure)	Category 2 - H373

##### 2.2. Label Elements

###### Hazard Pictograms



<b>Signal Word:</b>	Danger
<b>Hazard Statements</b>	H350 - May cause cancer by inhalation H373 - May cause damage to organs through prolonged or repeated exposure if inhaled
<b>Precautionary Statements</b>	
<b>Prevention</b>	P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P260 - Do not breathe dust/fume/gas/mist/vapors/spray P264 - Wash face, hands and any exposed skin thoroughly after handling P270 - Do not eat, drink or smoke when using this product P280 - Wear protective gloves/protective clothing/eye protection/face protection
<b>Response</b>	P308 + P313 - IF exposed or concerned: Get medical advice/attention P314 - Get medical attention/advice if you feel unwell
<b>Storage</b>	P405 - Store locked up
<b>Disposal</b>	P501 - Dispose of contents/container in accordance with local/regional/national/international regulations

**2.3 Hazards not otherwise classified**

None known

**3. Composition/information on Ingredients**

Substances	CAS Number	PERCENT (w/w)	GHS Classification - US
Crystalline silica, quartz	14808-60-7	1 - 5%	Carc. 1A (H350) STOT RE 1 (H372)

The exact percentage (concentration) of the composition has been withheld as proprietary.

**4. First Aid Measures**

**4.1. Description of first aid measures**

<b>Inhalation</b>	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
<b>Eyes</b>	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.
<b>Skin</b>	Wash with soap and water. Get medical attention if irritation persists.
<b>Ingestion</b>	Under normal conditions, first aid procedures are not required.

**4.2 Most important symptoms/effects, acute and delayed**

Breathing crystalline silica can cause lung disease, including silicosis and lung cancer. Crystalline silica has also been associated with scleroderma and kidney disease.

**4.3. Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.

## 5. Fire-fighting measures

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

All standard fire fighting media

#### Extinguishing media which must not be used for safety reasons

None known.

### 5.2 Specific hazards arising from the substance or mixture

#### Special exposure hazards in a fire

None anticipated

### 5.3 Special protective equipment and precautions for fire-fighters

#### Special protective equipment for firefighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

## 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid creating and breathing dust.

See Section 8 for additional information.

### 6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

### 6.3. Methods and material for containment and cleaning up

Collect using dustless method and hold for appropriate disposal. Consider possible toxic or fire hazards associated with contaminating substances and use appropriate methods for collection, storage and disposal.

## 7. Handling and storage

### 7.1. Precautions for safe handling

#### Handling Precautions

This product contains quartz, cristobalite, and/or tridymite which may become airborne without a visible cloud. Avoid breathing dust. Avoid creating dusty conditions. Use only with adequate ventilation to keep exposure below recommended exposure limits. Wear a NIOSH certified, European Standard En 149, or equivalent respirator when using this product. Material is slippery when wet.

#### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Storage Information

Use good housekeeping in storage and work areas to prevent accumulation of dust. Close container when not in use. Do not reuse empty container.

## 8. Exposure Controls/Personal Protection

### 8.1 Occupational Exposure Limits

Substances	CAS Number	OSHA PEL-TWA	ACGIH TLV-TWA
Crystalline silica, quartz	14808-60-7	TWA: 50 µg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>

### 8.2 Appropriate engineering controls

**Engineering Controls** Use approved industrial ventilation and local exhaust as required to maintain exposures below applicable exposure limits.

**8.3 Individual protection measures, such as personal protective equipment**

**Personal Protective Equipment** If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

**Respiratory Protection** Not normally needed. But if significant exposures are possible then the following respirator is recommended:

Dust/mist respirator. (N95, P2/P3)

**Hand Protection** Normal work gloves.

**Skin Protection** Wear clothing appropriate for the work environment. Dusty clothing should be laundered before reuse. Use precautionary measures to avoid creating dust when removing or laundering clothing.

**Eye Protection** Wear safety glasses or goggles to protect against exposure.

**Other Precautions** None known.

**9. Physical and Chemical Properties**

**9.1. Information on basic physical and chemical properties**

<b>Physical State:</b> Solid	<b>Color</b>	Various
<b>Odor:</b> Odorless	<b>Odor</b>	No information available
	<b>Threshold:</b>	

<u>Property</u>	<u>Values</u>
<u>Remarks/ - Method</u>	
<b>pH:</b>	8-10
<b>Freezing Point / Range</b>	No data available
<b>Melting Point / Range</b>	No data available
<b>Pour Point / Range</b>	No data available
<b>Boiling Point / Range</b>	No data available
<b>Flash Point</b>	No data available
<b>Flammability (solid, gas)</b>	No data available
Upper flammability limit	No data available
Lower flammability limit	No data available
<b>Evaporation rate</b>	No data available
<b>Vapor Pressure</b>	No data available
<b>Vapor Density</b>	No data available
<b>Specific Gravity</b>	2.55
<b>Water Solubility</b>	Insoluble in water
<b>Solubility in other solvents</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	No data available
<b>Autoignition Temperature</b>	No data available
<b>Decomposition Temperature</b>	No data available
<b>Viscosity</b>	No data available
<b>Explosive Properties</b>	No information available
<b>Oxidizing Properties</b>	No information available

**9.2. Other information**

**VOC Content (%)** No data available

**10. Stability and Reactivity**

**10.1. Reactivity**

Not expected to be reactive.

**10.2. Chemical stability**

Stable

**10.3. Possibility of hazardous reactions**

Will Not Occur

**10.4. Conditions to avoid**

None anticipated

**10.5. Incompatible materials**

Hydrofluoric acid.

**10.6. Hazardous decomposition products**

Amorphous silica may transform at elevated temperatures to tridymite (870 C) or cristobalite (1470 C).

**11. Toxicological Information****11.1 Information on likely routes of exposure****Principle Route of Exposure** Eye or skin contact, inhalation.**11.2 Symptoms related to the physical, chemical and toxicological characteristics****Acute Toxicity****Inhalation**

Inhaled crystalline silica in the form of quartz or cristobalite from occupational sources is carcinogenic to humans (IARC, Group 1). There is sufficient evidence in experimental animals for the carcinogenicity of tridymite (IARC, Group 2A).

Breathing silica dust may cause irritation of the nose, throat, and respiratory passages. Breathing silica dust may not cause noticeable injury or illness even though permanent lung damage may be occurring. Inhalation of dust may also have serious chronic health effects (See "Chronic Effects/Carcinogenicity" subsection below).

**Eye Contact**

May cause mechanical irritation to eye.

**Skin Contact**

None known.

**Ingestion**

None known.

**Chronic Effects/Carcinogenicity**

**Silicosis:** Excessive inhalation of respirable crystalline silica dust may cause a progressive, disabling, and sometimes-fatal lung disease called silicosis. Symptoms include cough, shortness of breath, wheezing, non-specific chest illness, and reduced pulmonary function. This disease is exacerbated by smoking. Individuals with silicosis are predisposed to develop tuberculosis.

**Cancer Status:** The International Agency for Research on Cancer (IARC) has determined that crystalline silica inhaled in the form of quartz or cristobalite from occupational sources can cause lung cancer in humans (Group 1 - carcinogenic to humans) and has determined that there is sufficient evidence in experimental animals for the carcinogenicity of tridymite (Group 2A - possible carcinogen to humans). Refer to IARC Monograph 68, Silica, Some Silicates and Organic Fibres (June 1997) in conjunction with the use of these minerals. The National Toxicology Program classifies respirable crystalline silica as "Known to be a human carcinogen". Refer to the 9th Report on Carcinogens (2000). The American Conference of Governmental Industrial Hygienists (ACGIH) classifies crystalline silica, quartz, as a suspected human carcinogen (A2).

There is some evidence that breathing respirable crystalline silica or the disease silicosis is associated with an increased incidence of significant disease endpoints such as scleroderma (an immune system disorder manifested by scarring of the lungs, skin, and other internal organs) and kidney disease.

### 11.3 Toxicity data

#### Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Crystalline silica, quartz	14808-60-7	> 15000 mg/kg (human)	No data available	No data available

Substances	CAS Number	Skin corrosion/irritation
Crystalline silica, quartz	14808-60-7	Non-irritating to the skin

Substances	CAS Number	Serious eye damage/irritation
Crystalline silica, quartz	14808-60-7	Non-irritating to the eye No information available

Substances	CAS Number	Skin Sensitization
Crystalline silica, quartz	14808-60-7	No information available.

Substances	CAS Number	Respiratory Sensitization
Crystalline silica, quartz	14808-60-7	No information available

Substances	CAS Number	Mutagenic Effects
Crystalline silica, quartz	14808-60-7	Not regarded as mutagenic.

Substances	CAS Number	Carcinogenic Effects
Crystalline silica, quartz	14808-60-7	Contains crystalline silica which may cause silicosis, a delayed and progressive lung disease. The IARC and NTP have determined there is sufficient evidence in humans of the carcinogenicity of crystalline silica with repeated respiratory exposure.

Substances	CAS Number	Reproductive toxicity
Crystalline silica, quartz	14808-60-7	No information available

Substances	CAS Number	STOT - single exposure
Crystalline silica, quartz	14808-60-7	No significant toxicity observed in animal studies at concentration requiring classification.

Substances	CAS Number	STOT - repeated exposure
Crystalline silica, quartz	14808-60-7	Causes damage to organs through prolonged or repeated exposure if inhaled: (Lungs)

Substances	CAS Number	Aspiration hazard
Crystalline silica, quartz	14808-60-7	Not applicable

## 12. Ecological Information

### 12.1. Toxicity

#### Substance Ecotoxicity Data

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Crystalline silica, quartz	14808-60-7	EC50(72 h)=440 mg/L (Pseudokirchneriella subcapitata)	LL0(96 h)=10000 mg/L (Danio rerio)	No information available	LL50(24 h)>10000 mg/L (Daphnia magna)

### 12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Crystalline silica, quartz	14808-60-7	The methods for determining biodegradability are not applicable to inorganic substances.

**12.3. Bioaccumulative potential**

Substances	CAS Number	Bioaccumulation
Crystalline silica, quartz	14808-60-7	No information available

**12.4. Mobility in soil**

Substances	CAS Number	Mobility
Crystalline silica, quartz	14808-60-7	No information available

**12.5 Other adverse effects**

No information available

**13. Disposal Considerations**

**13.1. Waste treatment methods**

**Disposal methods** Bury in a licensed landfill according to federal, state, and local regulations.  
**Contaminated Packaging** Follow all applicable national or local regulations.

**14. Transport Information**

**US DOT**

**UN Number** Not restricted  
**UN proper shipping name:** Not restricted  
**Transport Hazard Class(es):** Not applicable  
**Packing Group:** Not applicable  
**Environmental Hazards:** Not applicable

**Canadian TDG**

**UN Number** Not restricted  
**UN proper shipping name:** Not restricted  
**Transport Hazard Class(es):** Not applicable  
**Packing Group:** Not applicable  
**Environmental Hazards:** Not applicable

**IMDG/IMO**

**UN Number** Not restricted  
**UN proper shipping name:** Not restricted  
**Transport Hazard Class(es):** Not applicable  
**Packing Group:** Not applicable  
**Environmental Hazards:** Not applicable

**IATA/ICAO**

**UN Number** Not restricted  
**UN proper shipping name:** Not restricted  
**Transport Hazard Class(es):** Not applicable  
**Packing Group:** Not applicable  
**Environmental Hazards:** Not applicable

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable

**Special Precautions for User** None

**15. Regulatory Information**

## US Regulations

**US TSCA Inventory** All components listed on inventory or are exempt.

### TSCA Significant New Use Rules - S5A2

Substances	CAS Number	TSCA Significant New Use Rules - S5A2	TSCA Section 5(E) Consent Orders
Crystalline silica, quartz	14808-60-7	Not applicable	Not applicable

### EPA SARA Title III Extremely Hazardous Substances

Substances	CAS Number	EPA SARA Title III Extremely Hazardous Substances
Crystalline silica, quartz	14808-60-7	Not applicable

### EPA SARA (311,312) Hazard Class

Specific target organ toxicity (single or repeated exposure)  
Carcinogenicity

### EPA SARA (313) Chemicals

Substances	CAS Number	Toxic Release Inventory (TRI) - Group I	Toxic Release Inventory (TRI) - Group II
Crystalline silica, quartz	14808-60-7	Not applicable	Not applicable

### EPA CERCLA/Superfund Reportable Spill Quantity

Substances	CAS Number	CERCLA RQ
Crystalline silica, quartz	14808-60-7	Not applicable

### EPA RCRA Hazardous Waste Classification

If product becomes a waste, it does NOT meet the criteria of a hazardous waste as defined by the US EPA.

### California Proposition 65

Substances	CAS Number	California Proposition 65
Crystalline silica, quartz	14808-60-7	carcinogen

### U.S. State Right-to-Know Regulations

Substances	CAS Number	MA Right-to-Know Law	NJ Right-to-Know Law	PA Right-to-Know Law
Crystalline silica, quartz	14808-60-7	Carcinogen Extraordinarily hazardous	Present	Present

**NFPA Ratings:** Health 0, Flammability 0, Reactivity 0  
**HMIS Ratings:** Health 0\*, Flammability 0, Reactivity 0

## Canadian Regulations

**Canadian Domestic Substances List (DSL)** All components listed on inventory or are exempt.

## 16. Other information

### Preparation Information

**Prepared By** Chemical Stewardship  
Telephone: 1-281-871-6107  
e-mail: fdunexchem@halliburton.com

**Revision Date:** 10-Mar-2020

**Reason for Revision** SDS sections updated:  
2



**Additional information**

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Stewardship at 1-580-251-4335.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

bw – body weight

CAS – Chemical Abstracts Service

d - day

EC50 – Effective Concentration 50%

ErC50 – Effective Concentration growth rate 50%

h - hour

LC50 – Lethal Concentration 50%

LD50 – Lethal Dose 50%

LL50 – Lethal Loading 50%

mg/kg – milligram/kilogram

mg/L – milligram/liter

mg/m<sup>3</sup> - milligram/cubic meter

mm - millimeter

mmHg - millimeter mercury

NIOSH – National Institute for Occupational Safety and Health

NTP – National Toxicology Program

OEL – Occupational Exposure Limit

PEL – Permissible Exposure Limit

ppm – parts per million

STEL – Short Term Exposure Limit

TWA – Time-Weighted Average

UN – United Nations

w/w - weight/weight

**Key literature references and sources for data**

[www.ChemADVISOR.com/](http://www.ChemADVISOR.com/)

**Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**End of Safety Data Sheet**